

STC / IIC	STC / IIC																																													
	Exterior	1.1 Med Int Wet Lab	1.3.1 Med LS 11x11	1.2.2 Med LS 11x22	1.2.3 Med LER 11x22	1.4.1 High Int Wet Lab	1.5.1 High LS 11x22	1.5.2 High LER 11x22	1.7.1 Cold Room	1.7.2 Lab Kitchen Glasswash	1.7.3 Chem Storage	1.7.4 Instrumentation 22x22	2.2 Adv Imaging & Microscopy	2.1 High Throughput Screening	Vivarium Holding	Vivarium Procedure	Lobby & Reception	Exhibition	Exhibition Support	Multi-Purpose Room	Pre-Function	Conference XL	Conference, Large	Conference, Medium	Kitchen	Chair & Table Storage	Showers	Lactation Room	Wellness Room	Facilities Manager	Facilities Staff	IT Manager	Attic Stock Storage	Fire Control Room	Custodial Supplies & Equipment	Electrical Load Center	Generator Room	Vivarium MEP Gallery	Dock Manager Office	Locker Room with Toilet	Flex Office	PI Office	Stair	Elevator	Loading	Open Office
Open Office	55 / NA	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	45 / 45	*	*	*	*	*	45 / 45	70 / 60	45 / 45	60 / 50	50 / 50	60 / 50	60 / 50	60 / 50	45 / 45	45 / 45	45 / 45	60 / 50	60 / 50	45 / 45	45 / 45	50 / 50	-	60 / 50	60 / 50	60 / 50	60 / 50	45 / 45	55 / 50	50 / 40	50 / 40	50 / 40	50 / 50	50 / -	60 / 50	45 / 45
Loading	-	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	50 / 50	Adjacency Not Recommended	50 / 50	60 / 50	50 / 50	60 / 50	60 / 50	60 / 50	50 / 50	50 / 50	50 / 50	60 / 50	60 / 50	50 / 50	50 / 50	-	-	60 / 50	60 / 50	60 / 50	60 / 50	50 / 50	50 / 50	60 / 50	60 / 50	60 / 50	60 / 50	-		
Elevator	-	55 / -	55 / -	55 / -	55 / -	55 / -	55 / -	55 / -	55 / -	45 / -	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	50 / 50	Adjacency Not Recommended	50 / 50	60 / 50	50 / 50	60 / 50	60 / 50	60 / 50	50 / 50	50 / 50	50 / 50	60 / 50	60 / 50	50 / 50	50 / 50	-	-	60 / 50	60 / 50	60 / 50	60 / 50	50 / 50	50 / 50	50 / 50	50 / 50	50 / 50	45 / 45	-			
Stair	-	55 / -	55 / -	55 / -	55 / -	55 / -	55 / -	55 / -	55 / -	45 / -	*	*	*	*	*	50 / 50	70 / 60	50 / 50	60 / 50	50 / 50	60 / 50	60 / 50	60 / 50	50 / 50	50 / 50	50 / 50	60 / 50	60 / 50	50 / 50	50 / 50	45 / 45	-	-	60 / 50	60 / 50	60 / 50	60 / 50	50 / 50	50 / 50	50 / 50	50 / 50	-				
PI Office	55 / NA	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	*	*	*	*	*	55 / 50	70 / 60	45 / 45	60 / 50	50 / 50	60 / 50	60 / 50	55 / 50	55 / 50	55 / 50	60 / 50	60 / 50	55 / 50	55 / 50	55 / 50	-	-	60 / 50	60 / 50	60 / 50	60 / 50	55 / 50	55 / 50	50 / 40	50 / 40	50 / 40				
Flex Office	55 / NA	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	*	*	*	*	*	45 / 45	70 / 60	45 / 45	60 / 50	50 / 50	60 / 50	60 / 50	45 / 45	45 / 45	45 / 45	60 / 50	60 / 50	45 / 45	45 / 45	50 / 50	-	-	60 / 50	60 / 50	60 / 50	60 / 50	45 / 45	45 / 45	45 / 45						
Workstation	55 / NA	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	*	*	*	*	*	45 / 45	70 / 60	45 / 45	60 / 50	50 / 50	60 / 50	60 / 50	45 / 45	45 / 45	45 / 45	60 / 50	60 / 50	45 / 45	45 / 45	50 / 50	-	-	60 / 50	60 / 50	60 / 50	60 / 50	45 / 45	45 / 45	45 / 45						
Locker Room with Toilet	-	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	*	*	*	*	*	45 / 45	70 / 60	45 / 45	60 / 50	50 / 50	60 / 50	60 / 50	45 / 45	45 / 45	45 / 45	60 / 50	60 / 50	45 / 45	45 / 45	50 / 50	-	-	60 / 50	60 / 50	50 / 50	50 / 50	45 / 45	45 / 45							
Dock Manager Office	45 / NA	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	*	*	*	*	*	45 / 45	70 / 60	45 / 45	60 / 50	50 / 50	60 / 50	60 / 50	45 / 45	45 / 45	45 / 45	60 / 50	60 / 50	45 / 45	45 / 45	50 / 50	-	-	60 / 50	60 / 50	60 / 50	60 / 50	45 / 45								
Vivarium MEP Gallery	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	60 / 50	70 / 50	60 / 50	70 / 50	70 / 50	70 / 50	70 / 50	70 / 50	70 / 50	60 / 50	60 / 50	70 / 50	70 / 50	70 / 50	70 / 50	70 / 50	70 / 50	60 / 50	60 / 50	60 / 50	60 / 50	-									
Generator Room	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	60 / 50	70 / 50	60 / 50	70 / 50	70 / 50	70 / 50	70 / 50	70 / 50	70 / 50	60 / 50	60 / 50	70 / 50	70 / 50	70 / 50	70 / 50	70 / 50	70 / 50	60 / 50	60 / 50	60 / 50	-										
Electrical Load Center	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	60 / 50	70 / 50	60 / 50	70 / 50	70 / 50	70 / 50	70 / 50	70 / 50	70 / 50	60 / 50	60 / 50	70 / 50	70 / 50	70 / 50	70 / 50	70 / 50	70 / 50	60 / 50	60 / 50	60 / 50	-										
Fire Control Room	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	60 / 50	70 / 50	60 / 50	70 / 50	70 / 50	70 / 50	70 / 50	70 / 50	70 / 50	60 / 50	60 / 50	70 / 50	70 / 50	70 / 50	70 / 50	70 / 50	70 / 50	60 / 50	60 / 50	-											
Custodial Supplies & Equipment	-	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	-	*	*	*	*	*	50 / 50	50 / 50	50 / 50	50 / 50	50 / 50	50 / 50	50 / 50	50 / 50	50 / 50	50 / 50	60 / 50	60 / 50	50 / 50	50 / 50	45 / 45	-	-	60 / 50	60 / 50	60 / 50	60 / 50	45 / 45								
Attic Stock Storage	-	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	-	*	*	*	*	*	50 / 50	50 / 50	50 / 50	50 / 50	50 / 50	50 / 50	50 / 50	50 / 50	50 / 50	50 / 50	60 / 50	60 / 50	50 / 50	50 / 50	45 / 45															
IT Manager	45 / NA	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	45 / 45	*	*	*	*	*	45 / 45	70 / 60	45 / 45	45 / 45	45 / 45	45 / 45	45 / 45	45 / 45	45 / 45	45 / 45	60 / 50	60 / 50	45 / 45	45 / 45																
Facilities Staff	45 / NA	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	45 / 45	*	*	*	*	*	45 / 45	70 / 60	45 / 45	45 / 45	45 / 45	45 / 45	45 / 45	45 / 45	45 / 45	45 / 45	60 / 50	60 / 50	45 / 45	45 / 45																
Facilities Manager	45 / NA	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	45 / 45	*	*	*	*	*	45 / 45	70 / 60	45 / 45	45 / 45	45 / 45	45 / 45	45 / 45	45 / 45	45 / 45	45 / 45	60 / 50	60 / 50	45 / 45																	
Wellness Room	55 / NA	60 / 55	60 / 55	60 / 55	60 / 55	60 / 55	60 / 55	60 / 55	60 / 55	60 / 55	50 / 50	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	60 / 55	60 / 55	60 / 55	60 / 55	60 / 55	60 / 55	60 / 55	60 / 55	45 / 50	60 / 55	60 / 55																			
Lactation Room	55 / NA	60 / 55	60 / 55	60 / 55	60 / 55	60 / 55	60 / 55	60 / 55	60 / 55	60 / 55	50 / 50	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	60 / 55	60 / 55	60 / 55	60 / 55	60 / 55	60 / 55	60 / 55	60 / 55	45 / 50	60 / 55	60 / 55																			
Showers		55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	50 / 50	*	*	*	*	*	45 / 45	70 / 60	45 / 45	45 / 45	45 / 45	45 / 45	45 / 45	45 / 45	45 / 45	45 / 45																				
Chair & Table Storage	-	55 / -	55 / -	55 / -	55 / -	55 / -	55 / -	55 / -	55 / -	55 / -	-	*	*	*	*	*	45 / 45	45 / 45	45 / 45	45 / 45	45 / 45	45 / 45	45 / 45	45 / 45	45 / 45																					
Kitchen		55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	-	*	*	*	*	*	45 / 45	70 / 60	45 / 45	45 / 45	45 / 45	45 / 45	45 / 45	45 / 45																						
Conference, Medium	55 / NA	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	45 / 45	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	*	*	60 / 50	70 / 60	45 / 45	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50																						
Conference, Large	55 / NA	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	45 / 45	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	*	*	60 / 50	70 / 60	45 / 45	60 / 50	60 / 50	60 / 50	45 / 45																							
Conference XL	55 / NA	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	45 / 45	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	*	*	60 / 50	70 / 60	45 / 45	60 / 50	60 / 50	60 / 50																								
Pre-Function	55 / NA	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	45 / 45	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	*	*	45 / 45	70 / 60	45 / 45	45 / 45																										
Multi-Purpose Room	55 / NA	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	60 / 50	45 / 45	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	*	*	45 / 45	70 / 60	45 / 45	70 / 60																										
Exhibition Support	45 / NA	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	45 / 45	*	*	*	*	*	45 / 45	45 / 45	-																											
Exhibition	75 / NA (Adjacency Not Recommended)	60 / 55	60 / 55	60 / 55	60 / 55	60 / 55	60 / 55	60 / 55	60 / 55	60 / 55	60 / 55	Adjacency Not Recommended	Adjacency Not Recommended	Adjacency Not Recommended	*	*	60 / 55	-																												
Lobby & Reception	45 / NA	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	-	*	*	*	*	*	-																													
Vivarium Procedure	Adjacency Not Recommended	*	*	*	*	*	*	*	*	*	*	*	*	*	-	-																														
Vivarium Holding	Adjacency Not Recommended	*	*	*	*	*	*	*	*	*	*	*	*	*	-																															
2.1 High Throughput Screening	Adjacency Not Recommended	*	*	*	*	*	*	*	*	*	*	*	*	*																																
2.2 Adv Imaging & Microscopy	Adjacency Not Recommended	*	*	*	*	*	*	*	*	*	*	*	*																																	
1.7.4 Instrumentation 22x22	Adjacency Not Recommended	*	*	*	*	*	*	*	*	*	*	*																																		
1.7.3 Chem Storage	55 / NA	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	-																																			
1.7.2 Lab Kitchen Glasswash	55 / NA	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50																																				
1.7.1 Cold Room	55 / NA	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50	55 / 50																																					
1.5.2 High LER 11x22	55 / NA	55 / 50	55 / 50	55 / 50	50 / 50	55 / 50																																								
1.5.1 High LS 11x22	55 / NA	55 / 50	55 / 50	55 / 50	50 / 50																																									
1.4.1 High Int Wet Lab	55 / NA	55 / 50	55 / 50	55 / 50																																										
1.2.3 Med LER 11x22	55 / NA	55 / 50	55 / 50	55 / 50																																										
1.2.2 Med LS 11x22	55 / NA	55 / 50	55 / 50																																											
1.2.1 Med LS 11x11	55 / NA	55 / 50	55 / 50																																											
1.1 Med Int Wet Lab	55 / NA	55 / 50																																												